

## SAFETY DATA SHEET

### DCA-17001

Revision Date: 11-Oct-2022

Revision Number: 27

#### 1. Product Identifier & Identity for the Chemical

**Statement of Hazardous Nature** Hazardous according to the criteria of the 7th Revised Edition of the Globally Harmonised System of Classification and Labelling of Chemicals (GHS), Dangerous Goods according to the criteria of ADG.

##### 1.1. Product Identifier

**Product Name** DCA-17001

##### Other means of Identification

**Synonyms** None

**Hazardous Material Number:** HM007659

##### Recommended use of the chemical and restrictions on use

**Recommended Use** Corrosion Inhibitor

**Uses advised against** No information available

##### Supplier's name, address and phone number

**Manufacturer/Supplier** Halliburton Australia Pty. Ltd.  
15 Marriott Road, Jandakot, WA 6164  
Australia  
ACN Number: 009 000 775  
Telephone Number: + 61 1 800 686 951  
Fax Number: 61 (08) 9455 5300  
**E-mail Address** fdunexchem@halliburton.com

##### Emergency phone number

+ 61 1 800 686 951  
Global Incident Response Access Code: 334305  
Contract Number: 14012

##### **Australian Poisons Information Centre**

24 Hour Service: - 13 11 26  
Police or Fire Brigade: - 000 (exchange): - 1100

#### 2. Hazard Identification

**Statement of Hazardous Nature** Hazardous according to the criteria of the 7th Revised Edition of the Globally Harmonised System of Classification and Labelling of Chemicals (GHS), Dangerous Goods according to the criteria of ADG.

##### Classification of the hazardous chemical

Acute Oral Toxicity	Category 4 - H302
Acute toxicity - Dermal	Category 4 - H312
Skin Corrosion/Irritation	Category 2 - H315
Serious Eye Damage/Irritation	Category 1 - H318
Skin Sensitization	Category 1 - H317
Specific Target Organ Toxicity - (Single Exposure)	Category 1 - H370
Specific Target Organ Toxicity - (Repeated Exposure)	Category 2 - H373
Acute Aquatic Toxicity	Category 2 - H401

Chronic Aquatic Toxicity	Category 3 - H412
Flammable liquids.	Category 3 - H226

### Label elements, including precautionary statements

#### Hazard Pictograms



#### Signal Word

DANGER

#### Hazard Statements:

H226 - Flammable liquid and vapor  
 H302 - Harmful if swallowed  
 H312 - Harmful in contact with skin  
 H315 - Causes skin irritation  
 H317 - May cause an allergic skin reaction  
 H318 - Causes serious eye damage  
 H370 - Causes damage to organs  
 H373 - May cause damage to organs through prolonged or repeated exposure  
 H401 - Toxic to aquatic life  
 H412 - Harmful to aquatic life with long lasting effects

#### Precautionary Statements

#### Prevention

P201 - Obtain special instructions before use  
 P202 - Do not handle until all safety precautions have been read and understood  
 P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
 P233 - Keep container tightly closed  
 P240 - Ground and bond container and receiving equipment.  
 P241 - Use explosion-proof electrical/ventilating/lighting/equipment  
 P242 - Use only non-sparking tools  
 P243 - Take action to prevent static discharges.  
 P260 - Do not breathe dust/fume/gas/mist/vapors/spray  
 P264 - Wash face, hands and any exposed skin thoroughly after handling  
 P270 - Do not eat, drink or smoke when using this product  
 P272 - Contaminated work clothing should not be allowed out of the workplace  
 P273 - Avoid release to the environment  
 P280 - Wear protective gloves/protective clothing/eye protection/face protection  
 P281 - Use personal protective equipment as required  
 P280 - Wear protective gloves.  
 P261 - Avoid breathing dust/fume/gas/mist/vapors/spray  
 P280 - Wear eye protection/face protection

#### Response

P301 + P312 - IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell  
 P330 - Rinse mouth  
 P302 + P352 - IF ON SKIN: Wash with plenty of water.  
 P312 - Call a POISON CENTER and doctor/physician if you feel unwell.  
 P362 + P364 - Take off contaminated clothing and wash before reuse  
 P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing  
 P310 - Immediately call a POISON CENTER or doctor/physician  
 P307 + P311 - IF exposed: Call a POISON CENTER or doctor/physician  
 P314 - Get medical attention/advice if you feel unwell  
 P370 + P378 - In case of fire: Use water spray for extinction  
 P312 - Call a POISON CENTER/doctor/physician if you feel unwell  
 P363 - Wash contaminated clothing before reuse  
 P332 + P313 - If skin irritation occurs: Get medical advice/attention  
 P333 + P313 - If skin irritation or rash occurs: Get medical advice/attention  
 P391 - Collect spillage  
 P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing.  
 Rinse skin with water [or shower].  
**Storage**  
 P403 + P235 - Store in a well-ventilated place. Keep cool  
 P405 - Store locked up  
**Disposal**  
 P501 - Dispose of contents/container in accordance with local/regional/national/international regulations

**Contains****Substances**

	CAS Number
Diethylene glycol	111-46-6
Cinnamaldehyde	104-55-2
Amine oxides, cocoalkyldimethyl	61788-90-7
Methanol	67-56-1
Benzaldehyde	100-52-7
Alcohols, C12-16, ethoxylated	68551-12-2
Sodium iodide	7681-82-5

**Other hazards which do not result in classification**

This mixture contains no substance considered to be persistent, bioaccumulating nor toxic (PBT).  
 This mixture contains no substance considered to be very persistent nor very bioaccumulating (vPvB).

For the full text of the H-phrases mentioned in this Section, see Section 16

<b>3. Composition/information on Ingredients</b>
--

Substances	CAS Number	PERCENT (w/w)	GHS Classification - Australia
Diethylene glycol	111-46-6	30 - 60%	Acute Tox. 4 (H302) STOT RE 2 (H373)
Cinnamaldehyde	104-55-2	30 - 60%	Acute Tox. 4 (H312) Skin Irrit. 2 (H315) Skin Sens. 1 (H317) Aquatic Acute 2 (H401)
Amine oxides, cocoalkyldimethyl	61788-90-7	10 - 30%	Acute Tox. 4 (H302) Skin Irrit. 2 (H315) Eye Corr. 1 (H318) Aquatic Acute 1 (H400) Aquatic Chronic 3 (H412)
Methanol	67-56-1	10 - 30%	Acute Tox. 3 (H301) Acute Tox. 3 (H311) Acute Tox. 3 (H331) STOT SE 1 (H370) Flam. Liq. 2 (H225)
Benzaldehyde	100-52-7	5 - 10%	Acute Tox. 4 (H302) Acute Tox. 4 (H332) Aquatic Acute 2 (H401) Flam. Liq. 4 (H227)
Alcohols, C12-16, ethoxylated	68551-12-2	1 - 5%	Acute Tox. 4 (H302) Skin Irrit. 2 (H315) Eye Corr. 1 (H318) Aquatic Acute 1 (H400) Aquatic Chronic 3 (H412)
Sodium iodide	7681-82-5	1 - 5%	Skin Irrit. 2 (H315)

			Eye Irrit. 2 (H319) STOT SE 3 (H335) STOT RE 1 (H372)
--	--	--	---

#### 4. First aid measures

##### Description of necessary first aid measures

**Inhalation** If inhaled, move victim to fresh air and seek medical attention.

**Eyes** Immediately flush eyes with large amounts of water for at least 30 minutes. Seek prompt medical attention.

**Skin** In case of contact, immediately flush skin with plenty of soap and water for at least 15 minutes. Get medical attention. Remove contaminated clothing and launder before reuse.

**Ingestion** Do NOT induce vomiting. Give nothing by mouth. Obtain immediate medical attention.

##### Symptoms caused by exposure

Causes severe eye irritation which may damage tissue. Harmful if swallowed. Harmful in contact with skin. Causes skin irritation. May cause allergic skin reaction. Causes serious eye damage. Causes damage to organs. May cause damage to organs through prolonged or repeated exposure. May cause damage to internal organs.

##### Medical Attention and Special Treatment

**Notes to Physician** Treat symptomatically

#### 5. Fire Fighting Measures

##### Suitable extinguishing equipment

##### **Suitable Extinguishing Media**

Carbon dioxide, dry chemical, foam.

##### **Extinguishing media which must not be used for safety reasons**

None known.

##### Specific hazards arising from the chemical

##### **Special exposure hazards in a fire**

May be ignited by heat, sparks or flames Use water spray to cool fire exposed surfaces. Closed containers may explode in fire. Decomposition in fire may produce harmful gases. Runoff to sewer may cause fire or explosion hazard.

##### Special protective equipment and precautions for fire fighters

##### **Special protective equipment for firefighters**

Full protective clothing and approved self-contained breathing apparatus required for fire fighting personnel.

#### 6. Accidental release measures

##### 6.1. Personal precautions, protective equipment and emergency procedures

Avoid contact with skin, eyes and clothing. Avoid breathing vapors. Use appropriate protective equipment. Wear self-contained breathing apparatus in enclosed areas. Remove sources of ignition. All equipment used when handling the product must be grounded. Ensure adequate ventilation.

##### 6.2. Environmental precautions

Prevent from entering sewers, waterways, or low areas.

##### 6.3. Methods and material for containment and cleaning up

Remove ignition sources and work with non-sparking tools. Dike far ahead of liquid spill for later disposal. Soak up with inert absorbent material. Pick up and transfer to properly labeled containers.

#### 7. Handling and storage

**7.1. Precautions for safe handling****Handling Precautions**

Avoid breathing vapors. Avoid contact with eyes, skin, or clothing. Wash hands after use. Launder contaminated clothing before reuse. Use appropriate protective equipment. Ensure adequate ventilation. Remove sources of ignition. Ground and bond containers when transferring from one container to another.

**Hygiene Measures**

Handle in accordance with good industrial hygiene and safety practice.

**7.2. Conditions for safe storage, including any incompatibilities****Storage Information**

Store away from oxidizers. Keep from heat, sparks, and open flames. Store in a well ventilated area. Store locked up. Keep container closed when not in use. Product has a shelf life of 60 months.

**Other Guidelines**

No information available

<b>8. Exposure Controls/Personal Protection</b>
---

**Control parameters - exposure standards, biological monitoring****Exposure Limits**

Substances	CAS Number	Australia NOHSC	ACGIH TLV-TWA
Diethylene glycol	111-46-6	TWA: 23 ppm TWA: 100 mg/m <sup>3</sup>	Not applicable
Cinnamaldehyde	104-55-2	Not applicable	Not applicable
Amine oxides, cocoalkyldimethyl	61788-90-7	Not applicable	Not applicable
Methanol	67-56-1	TWA: 200 ppm TWA: 262 mg/m <sup>3</sup> STEL: 250 ppm STEL: 328 mg/m <sup>3</sup>	TWA: 200 ppm STEL: 250 ppm
Benzaldehyde	100-52-7	Not applicable	Not applicable
Alcohols, C12-16, ethoxylated	68551-12-2	Not applicable	Not applicable
Sodium iodide	7681-82-5	Not applicable	TWA: 0.01 ppm

**Appropriate engineering controls****Engineering Controls**

Use in a well ventilated area. Local exhaust ventilation should be used in areas without good cross ventilation.

**Personal protective equipment (PPE)****Personal Protective Equipment**

If engineering controls and work practices cannot prevent excessive exposures, the selection and proper use of personal protective equipment should be determined by an industrial hygienist or other qualified professional based on the specific application of this product.

**Respiratory Protection**

If engineering controls and work practices cannot keep exposure below occupational exposure limits or if exposure is unknown, wear a NIOSH certified, European Standard EN 149, AS/NZS 1715:2009, or equivalent respirator when using this product. Selection of and instruction on using all personal protective equipment, including respirators, should be performed by an Industrial Hygienist or other qualified professional. Positive pressure self-contained breathing apparatus if methanol is released.

**Hand Protection**

Chemical-resistant protective gloves (EN 374) Suitable materials for longer, direct contact (recommended: protection index 6, corresponding to > 480 minutes permeation time as per EN 374): Butyl rubber gloves. (>= 8 mm thickness)

This information is based on literature references and on information provided by glove manufacturers, or is derived by analogy with similar substances. Please note that in practice the working life of chemical-resistant protective gloves may be considerably shorter than the permeation time determined in accordance with EN 374 as a result of the many influencing factors (e.g. temperature). If signs of wear and tear are noticed then the gloves should be replaced. Manufacturer's directions for use should be observed because of great diversity of types.

**Skin Protection**

Wear protective clothing impervious to the chemical substance, including boots, gloves, lab coat, apron, rainjacket, pants or coverall, as appropriate, to prevent skin contact. Rubber apron.

**Eye Protection**

Chemical goggles; also wear a face shield if splashing hazard exists. (EN-166)

**Other Precautions** Eyewash fountains and safety showers must be easily accessible.  
**Environmental Exposure Controls** Do not allow material to contaminate ground water system.

## 9. Physical and Chemical Properties

### 9.1. Information on basic physical and chemical properties

**Physical State:** Liquid      **Color**      Yellow-orange  
**Odor:** Cinnamon      **Odor Threshold:** No information available

<u>Property</u> Remarks/ - Method	<u>Values</u>
<b>pH:</b>	6.85 (10%)
<b>Freezing Point / Range</b>	-21 °C
<b>Melting Point / Range</b>	No data available
<b>Pour Point / Range</b>	No data available
<b>Boiling Point / Range</b>	No data available
<b>Flash Point</b>	28.9 °C / 84 °F (PMCC)
<b>Evaporation rate</b>	No data available
<b>Vapor Pressure</b>	No data available
<b>Vapor Density</b>	No data available
<b>Specific Gravity</b>	1.015
<b>Water Solubility</b>	Soluble in water
<b>Solubility in other solvents</b>	No data available
<b>Partition coefficient: n-octanol/water</b>	No data available
<b>Autoignition Temperature</b>	No data available
<b>Decomposition Temperature</b>	No data available
<b>Viscosity</b>	No data available
<b>Explosive Properties</b>	No information available
<b>Oxidizing Properties</b>	No information available

### 9.2. Other information

**VOC Content (%)** No data available

## 10. Stability and Reactivity

### 10.1. Reactivity

Not expected to be reactive.

### 10.2. Chemical stability

Stable

### 10.3. Possibility of hazardous reactions

Reacts with acids to form toxic nitrogen oxide.

### 10.4. Conditions to avoid

Keep away from heat, sparks and flame.

### 10.5. Incompatible materials

Strong oxidizers.

### 10.6. Hazardous decomposition products

Ammonia. Oxides of nitrogen. Hydrocarbons. Carbon monoxide and carbon dioxide.

## 11. Toxicological Information

### Information on routes of exposure

**Principle Route of Exposure** Eye or skin contact, inhalation.

### Symptoms related to exposure

#### Most Important Symptoms/Effects

Causes severe eye irritation which may damage tissue. Harmful if swallowed. Harmful in contact with skin. Causes skin irritation. May cause allergic skin reaction. Causes serious eye damage. Causes damage to organs. May cause damage to organs through prolonged or repeated exposure. May cause damage to internal organs.

**Toxicology data for the components**

Substances	CAS Number	LD50 Oral	LD50 Dermal	LC50 Inhalation
Diethylene glycol	111-46-6	12565 - 19600 mg/kg (Rat)	11890 - 13300 mg/kg (Rabbit)	> 4.6 mg/L (Rat) 4h
Cinnamaldehyde	104-55-2	2220 mg/kg (rat)	620 mg/kg (rabbit)	No data available
Amine oxides, cocoalkyldimethyl	61788-90-7	846 - 3873 mg/kg (Rat) 1000-1250 mg/kg (Rat)	4290 mg/kg (Rabbit)	No data available
Methanol	67-56-1	300 mg/kg-bw (human) < 790 to 13,000 mg/kg (rat)	1000 mg/kg-bw (human) 17,100 mg/kg (rabbit)	10 mg/L (human, vapor, 4h)
Benzaldehyde	100-52-7	1430 mg/kg (rat)	No information available	>1 <5 mg/L air (Rat, 4h, mist)
Alcohols, C12-16, ethoxylated	68551-12-2	1600 mg/kg	2011 mg/kg-bw (rabbit)	No data available
Sodium iodide	7681-82-5	4340 mg/kg (Rat) 3118 mg/kg (Rats) (Similar substance)	No data available	LCLo: 50000 mg/m <sup>3</sup> (Mouse) 2h

**Immediate, delayed and chronic health effects from exposure****Inhalation**

May cause respiratory irritation. May cause central nervous system depression including headache, dizziness, drowsiness, incoordination, slowed reaction time, slurred speech, giddiness and unconsciousness.

**Eye Contact**

Causes severe eye irritation which may damage tissue.

**Skin Contact**

Harmful in contact with skin. Causes skin irritation. May cause an allergic skin reaction.

**Ingestion**

Harmful if swallowed. May cause central nervous system depression including headache, dizziness, drowsiness, muscular weakness, incoordination, slowed reaction time, fatigue blurred vision, slurred speech, giddiness, tremors and convulsions. Ingestion may result in blindness.

**Chronic Effects/Carcinogenicity**

Prolonged or repeated exposure can cause delayed kidney damage.

**Exposure Levels**

No data available

**Interactive effects**

Skin disorders. Eye ailments.

**Data limitations**

No data available

Substances	CAS Number	Skin corrosion/irritation
Diethylene glycol	111-46-6	Non-irritating to the skin (Rabbit)
Cinnamaldehyde	104-55-2	Causes severe irritation and or burns (human)
Amine oxides, cocoalkyldimethyl	61788-90-7	Skin, rabbit: Causes moderate skin irritation.
Methanol	67-56-1	Non-irritating to the skin (Rabbit)
Benzaldehyde	100-52-7	Non-irritating to the skin (Rabbit)
Alcohols, C12-16, ethoxylated	68551-12-2	Causes skin irritation.
Sodium iodide	7681-82-5	Moderate dermal irritant (Rabbit)

Substances	CAS Number	Serious eye damage/irritation
Diethylene glycol	111-46-6	Non-irritating to the eye (Rabbit)
Cinnamaldehyde	104-55-2	Mild eye irritant. (human) (8 % solution)
Amine oxides, cocoalkyldimethyl	61788-90-7	Corrosive to eyes
Methanol	67-56-1	Non-irritating to the eye (Rabbit)
Benzaldehyde	100-52-7	Non-irritating to the eye (Rabbit)
Alcohols, C12-16, ethoxylated	68551-12-2	Causes severe eye irritation which may damage tissue.
Sodium iodide	7681-82-5	Moderately irritating to the eyes (Rabbit)

Substances	CAS Number	Skin Sensitization
Diethylene glycol	111-46-6	Did not cause sensitization on laboratory animals (guinea pig)
Cinnamaldehyde	104-55-2	Skin sensitizer in guinea pig.

Amine oxides, cocoalkyldimethyl	61788-90-7	No information available
Methanol	67-56-1	Did not cause sensitization on laboratory animals (guinea pig)
Benzaldehyde	100-52-7	Not sensitizing in Guinea Pigs (Guinea Pig Maximisation Test and Open Epicutaneous Test, Sensitizing in Draize Test and Freund's Complete Adjuvant Test)
Alcohols, C12-16, ethoxylated	68551-12-2	Did not cause sensitization on laboratory animals
Sodium iodide	7681-82-5	Patch test on human volunteers did not demonstrate sensitization properties

Substances	CAS Number	Respiratory Sensitization
Diethylene glycol	111-46-6	No information available
Cinnamaldehyde	104-55-2	No information available
Amine oxides, cocoalkyldimethyl	61788-90-7	No information available
Methanol	67-56-1	No information available
Benzaldehyde	100-52-7	No information available
Alcohols, C12-16, ethoxylated	68551-12-2	No information available
Sodium iodide	7681-82-5	No information available

Substances	CAS Number	Mutagenic Effects
Diethylene glycol	111-46-6	In vitro tests did not show mutagenic effects. In vivo tests did not show mutagenic effects.
Cinnamaldehyde	104-55-2	In vitro tests did not show mutagenic effects.
Amine oxides, cocoalkyldimethyl	61788-90-7	In vitro tests did not show mutagenic effects. In vivo tests did not show mutagenic effects. (similar substances)
Methanol	67-56-1	The weight of evidence from available in vitro and in vivo studies indicates that this substance is not expected to be mutagenic.
Benzaldehyde	100-52-7	Not mutagenic in AMES Test. Negative in the chromosomal aberration assay In vitro tests have shown mutagenic effects In vivo tests did not show mutagenic effects.
Alcohols, C12-16, ethoxylated	68551-12-2	Not regarded as mutagenic.
Sodium iodide	7681-82-5	In vitro tests did not show mutagenic effects. (similar substances)

Substances	CAS Number	Carcinogenic Effects
Diethylene glycol	111-46-6	Did not show carcinogenic effects in animal experiments (Rat)
Cinnamaldehyde	104-55-2	No information available
Amine oxides, cocoalkyldimethyl	61788-90-7	No information available
Methanol	67-56-1	No data of sufficient quality are available.
Benzaldehyde	100-52-7	Did not show carcinogenic effects in animal experiments (Rat)
Alcohols, C12-16, ethoxylated	68551-12-2	Not regarded as carcinogenic.
Sodium iodide	7681-82-5	No information available

Substances	CAS Number	Reproductive toxicity
Diethylene glycol	111-46-6	Animal testing did not show any effects on fertility. Did not show teratogenic effects in animal experiments.
Cinnamaldehyde	104-55-2	Did not show teratogenic effects in animal experiments.
Amine oxides, cocoalkyldimethyl	61788-90-7	Did not show teratogenic effects in animal experiments. When tested at maternally toxic doses, no adverse effects on teratogenicity or development were observed.
Methanol	67-56-1	Based on available data, the classification criteria are not met. Experiments have shown reproductive toxicity effects on laboratory animals
Benzaldehyde	100-52-7	Animal testing did not show any effects on fertility. Did not show teratogenic effects in animal experiments. (similar substances)
Alcohols, C12-16, ethoxylated	68551-12-2	Not regarded as a reproductive and developmental toxicant.
Sodium iodide	7681-82-5	Animal testing did not show any effects on fertility.

Substances	CAS Number	STOT - single exposure
Diethylene glycol	111-46-6	No significant toxicity observed in animal studies at concentration requiring classification.
Cinnamaldehyde	104-55-2	No information available
Amine oxides, cocoalkyldimethyl	61788-90-7	May cause respiratory irritation.
Methanol	67-56-1	May cause disorder and damage to the Central Nervous System (CNS)
Benzaldehyde	100-52-7	May cause respiratory irritation.
Alcohols, C12-16, ethoxylated	68551-12-2	No significant toxicity observed in animal studies at concentration requiring classification.



Sodium iodide	7681-82-5	No information available
---------------	-----------	--------------------------

Substances	CAS Number	STOT - repeated exposure
Diethylene glycol	111-46-6	Causes damage to organs through prolonged or repeated exposure: Kidney
Cinnamaldehyde	104-55-2	No significant toxicity observed in animal studies at concentration requiring classification.
Amine oxides, cocoalkyldimethyl	61788-90-7	No data of sufficient quality are available.
Methanol	67-56-1	Causes damage to organs through prolonged or repeated exposure: Central Nervous System (CNS)
Benzaldehyde	100-52-7	No significant toxicity observed in animal studies at concentration requiring classification.
Alcohols, C12-16, ethoxylated	68551-12-2	No significant toxicity observed in animal studies at concentration requiring classification.
Sodium iodide	7681-82-5	Causes damage to organs through prolonged or repeated exposure: (Thyroid)

Substances	CAS Number	Aspiration hazard
Diethylene glycol	111-46-6	No information available
Cinnamaldehyde	104-55-2	Not applicable
Amine oxides, cocoalkyldimethyl	61788-90-7	No information available
Methanol	67-56-1	Not applicable
Benzaldehyde	100-52-7	Not applicable
Alcohols, C12-16, ethoxylated	68551-12-2	Not applicable
Sodium iodide	7681-82-5	Not applicable

## 12. Ecological Information

### Ecotoxicity

#### Substance Ecotoxicity Data

Substances	CAS Number	Toxicity to Algae	Toxicity to Fish	Toxicity to Microorganisms	Toxicity to Invertebrates
Diethylene glycol	111-46-6	TGK (8d) 2700 mg/L (Scenedesmus quadricauda)	LC50 75200 mg/L (Pimephales promelas)	EC20 (30m) > 1995 mg/L (domestic activated sludge)	EC50 84000 mg/L (Daphnia magna) EC50 >10000 mg/L (Daphnia magna)
Cinnamaldehyde	104-55-2	EC50 (72 h) 2.1 mg/L (Skeletonema costatum)	LC50 (96 h) 2.38 mg/L (Scophthalmus maximus)	IC50 (48h) 131.2 mg/L (Tetrahymena pyriformis)	LC50 (48 h) 1.4 mg/L (Acartia tonsa)
Amine oxides, cocoalkyldimethyl	61788-90-7	ErC50 (72h) 0.29 mg/L (Selenastrum capricornutum) ErC50 (72h) 0.0235 mg/L (Scenedesmus subspicatus) (similar substance)	LC50 (96h) 1.0–3.4 mg/L (Brachydanio rerio) LC50 (96h) 13.0 (Salmo gairdneri) LC50 (96h) 0.1-1 mg/L (Brachydanio rerio)	EC50 (3h) 240 mg/L (Pseudomonas putida) EC50 (3h) 13 mg/L (Activated sludge)	EC50 (48h) 2.9 mg/L (Daphnia magna) EC50 (48h) 0.083 mg/L (Daphnia magna) (similar substance)
Methanol	67-56-1	EC50 (96 h) =22000 mg/L (Pseudokirchnerella subcapitata) NOEC (8 d) =8000 mg/L (Scenedesmus quadricauda)	LC50(96 h)=15400 mg/L (Lepomis macrochirus) EC50 (200h)=14536 mg/L (Oryzias latipes)	No information available	NOEC(21 d)=208 mg/L (Daphnia magna) EC50 (48h)=22200 mg/L (Daphnia obtuse)
Benzaldehyde	100-52-7	NOEC (8d) 20 mg/L (Microcystis aeruginosa) NOEC (8d) 132 mg/L	LC50 (96 h) 1.07 mg/L (Lepomis macrochirus)	IC50 (3 h) 740 mg/L (Activated sludge)	EC50 (24 h) 50 mg/L (Daphnia magna)
Alcohols, C12-16, ethoxylated	68551-12-2	EC50 0.7 mg/L (Selenastrum capricornutum)	No information available	No information available	0.39 mg/L (Daphnia Magna)
Sodium iodide	7681-82-5	7 d Tox threshold: 2370 mg/L (Scenedesmus quadricauda, biomass) EC50(72h): 2588.7 mg/L (Skeletonema costatum)	LC50(96h): 3780 mg/L (Oncorhynchus mykiss) LC50(96h): > 100 mg/L (Scophthalmus maximus)	No information available	EC50(48h): 1.27 mg/L (Daphnia magna) EC50(48h): 575 mg/L (Acartia tonsa)

#### 12.2. Persistence and degradability

No data is available on the product itself

Substances	CAS Number	Persistence and Degradability
Diethylene glycol	111-46-6	Readily biodegradable (90-100% @ 28d)

Cinnamaldehyde	104-55-2	Predicted to be readily biodegradable.
Amine oxides, cocoalkyldimethyl	61788-90-7	Readily biodegradable (81% @ 28d)
Methanol	67-56-1	Readily biodegradable (95% @ 20d)
Benzaldehyde	100-52-7	Readily biodegradable (>=95% @ 28d)
Alcohols, C12-16, ethoxylated	68551-12-2	No information available
Sodium iodide	7681-82-5	Not applicable

### 12.3. Bioaccumulative potential

No data is available on the product itself

Substances	CAS Number	Bioaccumulation
Diethylene glycol	111-46-6	BCF: 100 (Leuciscus idus melanotus)
Cinnamaldehyde	104-55-2	Log Pow = 1.4
Amine oxides, cocoalkyldimethyl	61788-90-7	Log Kow = 7.5
Methanol	67-56-1	Not Bioaccumulative; BCF=1
Benzaldehyde	100-52-7	Log Pow = 1.1
Alcohols, C12-16, ethoxylated	68551-12-2	No information available
Sodium iodide	7681-82-5	-1.301

### 12.4. Mobility in soil

Substances	CAS Number	Mobility
Diethylene glycol	111-46-6	No information available
Cinnamaldehyde	104-55-2	No information available
Amine oxides, cocoalkyldimethyl	61788-90-7	No information available
Methanol	67-56-1	No information available
Benzaldehyde	100-52-7	No information available
Alcohols, C12-16, ethoxylated	68551-12-2	No information available
Sodium iodide	7681-82-5	No information available

### 12.6. Other adverse effects

#### Endocrine Disruptor Information

This product does not contain any known or suspected endocrine disruptors

## 13. Disposal Considerations

#### Safe handling and disposal methods

Incineration recommended in approved incinerator according to federal, state, and local regulations. Substance should NOT be deposited into a sewage facility.

#### Disposal of any contaminated packaging

Follow all applicable national or local regulations. Contaminated packaging may be disposed of by: rendering packaging incapable of containing any substance, or treating packaging to remove residual contents, or treating packaging to make sure the residual contents are no longer hazardous, or by disposing of packaging into commercial waste collection.

#### Environmental regulations

Not applicable

## 14. Transport Information

#### Transportation Information

##### Australia ADG

UN Number	UN1993
UN proper shipping name:	Flammable Liquid, N.O.S. (Contains Methanol)
Transport Hazard Class(es):	3
Packing Group:	III
Environmental Hazards:	Not applicable

##### IMDG/IMO

UN Number	UN1993
UN proper shipping name:	Flammable Liquid, N.O.S. (Contains Methanol)

**Transport Hazard Class(es):** 3  
**Packing Group:** III  
**Environmental Hazards:** Not applicable  
**EMS:** EmS F-E, S-E

**IATA/ICAO**

**UN Number** UN1993  
**UN proper shipping name:** Flammable Liquid, N.O.S. (Contains Methanol)  
**Transport Hazard Class(es):** 3  
**Packing Group:** III  
**Environmental Hazards:** Not applicable

**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code**

Not applicable

**Special precautions during transport**

None

**HazChem Code**

•3Y

<b>15. Regulatory Information</b>
-----------------------------------

**Safety, health and environmental regulations specific for the product****International Inventories****Australian AICS Inventory**

All components are listed on the AIC or are subject to a relevant exemption, permit, or assessment certificate.

**New Zealand Inventory of Chemicals**

All components are listed on the NZIoC or are subject to a relevant exemption, permit, or assessment certificate.

**US TSCA Inventory**

All components listed on inventory or are exempt.

**Canadian Domestic Substances List (DSL)**

All components listed on inventory or are exempt.

**Poisons Schedule number**

None Allocated

**International Agreements**

**Montreal Protocol - Ozone Depleting Substances:**

Does not apply.

**Stockholm Convention - Persistent Organic Pollutants:**

Does not apply

**Rotterdam Convention - Prior Informed Consent:**

Does not apply.

**Basel Convention - Hazardous Waste:**

Does not apply.

<b>16. Other information</b>
------------------------------

**Date of preparation or review**

**Revision Date:** 11-Oct-2022

**Revision Note**

SDS sections updated:

2  
16

**Full text of H-Statements referred to under sections 2 and 3**

H225 - Highly flammable liquid and vapor

H226 - Flammable liquid and vapor

H301 - Toxic if swallowed

H302 - Harmful if swallowed

H311 - Toxic in contact with skin

H312 - Harmful in contact with skin

H315 - Causes skin irritation  
H317 - May cause an allergic skin reaction  
H318 - Causes serious eye damage  
H319 - Causes serious eye irritation  
H331 - Toxic if inhaled  
H332 - Harmful if inhaled  
H335 - May cause respiratory irritation  
H370 - Causes damage to organs  
H372 - Causes damage to organs through prolonged or repeated exposure  
H373 - May cause damage to organs through prolonged or repeated exposure  
H400 - Very toxic to aquatic life  
H401 - Toxic to aquatic life  
H412 - Harmful to aquatic life with long lasting effects

**Additional information:** For additional information on the use of this product, contact your local Halliburton representative.

For questions about the Safety Data Sheet for this or other Halliburton products, contact Chemical Stewardship at 1-580-251-4335.

#### **Key abbreviations or acronyms used**

bw – body weight  
CAS – Chemical Abstracts Service  
EC50 – Effective Concentration 50%  
LC50 – Lethal Concentration 50%  
LD50 – Lethal Dose 50%  
LL50 – Lethal Loading 50%  
mg/kg – milligram/kilogram  
mg/L – milligram/liter  
NOEC – No Observed Effect Concentration  
OEL – Occupational Exposure Limit  
PBT – Persistent Bioaccumulative and Toxic  
ppm – parts per million  
STEL – Short Term Exposure Limit  
TWA – Time-Weighted Average  
vPvB – very Persistent and very Bioaccumulative  
h - hour  
mg/m<sup>3</sup> - milligram/cubic meter  
mm - millimeter  
mmHg - millimeter mercury  
w/w - weight/weight  
d - day

#### **Key literature references and sources for data**

www.ChemADVISOR.com/  
NZ CCID

#### **Disclaimer Statement**

This information is furnished without warranty, expressed or implied, as to accuracy or completeness. The information is obtained from various sources including the manufacturer and other third party sources. The information may not be valid under all conditions nor if this material is used in combination with other materials or in any process. Final determination of suitability of any material is the sole responsibility of the user.

**End of Safety Data Sheet**